



KELLY MOORE  
MATERIAL SAFETY DATA SHEET

7100- PART B

carcinogen.

CHRONIC EFFECTS:

None recognized.

SECTION 4 - FIRST AID MEASURES

EMERGENCY FIRST AID:

EYE CONTACT: Flush at once with large amounts of lukewarm water for at least 15 minutes and get medical attention.

SKIN CONTACT: Immediately remove contaminated clothing, wipe excess from skin and flush with clean water for at least 15 minutes. Wash affected area with soap and water. Get medical attention if persistent irritation and/or a skin rash, appears. Do not reuse clothing until thoroughly cleaned.

INHALATION: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention.

INGESTION: DO NOT INDUCE VOMITING. Give 1 to 2 cups of milk or water to drink. Do not give anything by mouth to an unconscious or convulsing person. Consult a physician.

NOTE TO PHYSICIAN:

Not Applicable.

SECTION 5 - FIRE FIGHTING MEASURES

FIRE AND EXPLOSIVE PROPERTIES OF THE CHEMICAL:

Flashpoint . . . . . : N/A  
Flammability Classification . . . . . : N/A  
Explosion Level . . . . . : Low - -N/A  
High - -N/A

EXTINGUISHING MEDIA

Water spray, dry chemical, carbon dioxide (CO2), alcohol foam

FIRE-FIGHTING PROCEDURES AND EQUIPMENT

Clear fire area of unprotected personnel. Do not enter confined space without helmet, face shield, bunker coat, gloves, rubber boots, and a positive pressure NIOSH-approved self-contained breathing apparatus. Water spray may be used to cool closed containers to prevent pressure build-up and possible explosion when exposed to extreme heat. Water may be ineffective in extinguishing a paint fire. Therefore, use caution not to spread flames with stream of water. If water is used, fog nozzles are preferable.

-----  
KELLY MOORE  
MATERIAL SAFETY DATA SHEET  
-----

7100- PART B  
-----

-----  
SECTION 6 - ACCIDENTAL RELEASE MEASURES  
-----

CLEAN-UP:

Soak up residue with an absorbent such as clay, sand or other suitable material; place in non-leaking containers for proper disposal. Flush area with water to remove trace residue; dispose of flush solutions.

\*\*\* SMALL SPILLS \*\*\*

Take up with an absorbent material and place in non-leaking containers; seal tightly for proper disposal.

LARGE SPILLS

Exclude unprotected personnel from the area until clean-up has been completed. Shut off the leak when safe to do so, dike and pump material into waste containers. Prevent spilled material from entering sewers, ditches and other waterways.

-----  
SECTION 7 - HANDLING AND STORAGE  
-----

HANDLING

Do not get in eyes, on skin or clothing. Avoid breathing vapor or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling. An empty container may contain hazardous residues.

STORAGE

Containers, even those that have been emptied, can contain explosive vapors. Do not cut, drill, grind, weld or perform similar operations on or near containers. Do not pressurize drum containers to empty them.

SPECIAL COMMENTS

Do not take internally. Wash with soap and water before eating, drinking, smoking or using toilet. Avoid FREEZING this product.

-----  
SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION  
-----

RESPIRATORY PROTECTION

Avoid breathing dust/mists. If exposure may or does exceed occupational exposure limits, use a NIOSH-approved respirator to prevent overexposure. Avoid breathing vapors, which may be produced under some conditions such as heating or applications of uncured product in large surface areas (e.g., flooring and painting). Avoid breathing aerosols and mists which may be formed by various methods of application.

EYE PROTECTION

KELLY MOORE  
MATERIAL SAFETY DATA SHEET

7100- PART B

To prevent eye contact wear eye protection such as chemical splash proof goggles or face shield.

SKIN PROTECTION REQUIREMENTS

Permeation resistant gloves. Cover as much of the exposed skin area as possible with appropriate clothing, such as, long sleeved clothing, etc.

ENGINEERING CONTROLS

Provide sufficient mechanical (general &/or local exhaust) ventilation to maintain exposure below TLV(s).

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State . . . . . : LIQUID  
Vapor Pressure . . . . . : -N/A  
Vapor Density . . . . . : -N/A  
Boiling Point Range . . . . . : Lower - 212.0 °F  
Higher - 212.0 °F  
Specific Gravity . . . . . : 1.049  
Weight per Volume . . . . . : 8.7300 LB/GL  
VOC - Total (lb/gal). . . . . : .000  
Evaporation Rate . . . . . : .000 (n-Butyl Acetate = 1)  
Volatile by Weight . . . . . : 35.7151  
Volatile by Volume . . . . . : 37.4304

SECTION 10 - STABILITY AND REACTIVITY

MATERIALS TO AVOID

Can react vigorously with strong oxidizing agents, strong Lewis or mineral acids, and strong mineral and organic bases, especially primary and secondary aliphatic amines.

HAZARDOUS POLYMERIZATION

Will not occur.

CONDITIONS TO AVOID

Avoid heat and any source of ignition.

HAZARDOUS DECOMPOSITION PRODUCTS

Carbon monoxide, carbon dioxide and unidentified organic compounds may be formed during combustion.

STABILITY: Stable.

KELLY MOORE  
MATERIAL SAFETY DATA SHEET

7100- PART B

SECTION 11 - TOXICOLOGICAL INFORMATION

No data at this time.

SECTION 12 - ECOLOGICAL INFORMATION

No data at this time.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

Not an RCRA hazardous waste. Consult federal, state and local regulations to ensure this material and its containers is disposed of in compliance with all regulatory requirements.

SECTION 14 - TRANSPORT INFORMATION

DOT HAZARD CLASS . . . . . : N/A  
DOT PACKAGING GROUP . . . . . : N/A  
DOT LABEL . . . . . : NONE  
DOT SHIPPING NAME . . . . . : NOT REGULATED  
DOT PLACARD . . . . . : NONE  
UN/NA NUMBER . . . . . : NONE

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION

TSCA SECTION 8(b) - INVENTORY STATUS:

All components of this product are either listed on the U.S. Toxic Substances Control Act (TSCA) inventory of chemicals or are otherwise compliant with TSCA Regulations.

SARA 313 TOXIC CHEMICALS:

This product contains NONE of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SECTION 16 - OTHER INFORMATION

Prepared by . . . . . :  
Date of issue . . . . . : 05/08/2009  
Last Revision Date . . . . . : 09/28/2007

KELLY MOORE  
MATERIAL SAFETY DATA SHEET

7100- PART B

MSDS Prepared for . . . . . :  
MSDS Last Prepared . . . . . : NONE  
HMIS Rating:           Health- 2           Flammability- 0  
                          Reactivity- 0

\*\*\*\*\*

This Material Safety Data Sheet conforms to the Hazard Communication Standard, 29 CFR 1910.1200(g)(4).

The above information pertains to this product as currently formulated and is based on the information available, as of this date. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

\*\*\*\*\*

Abbreviations used: int.- interior; ext.- exterior; MSDS - Material Safety Data Sheet; HMIS - Hazardous Materials Information System; CAS - Chemical Abstracts Services; pct - percent; wt - weight; mm Hg - millimeters of mercury; F - Fahrenheit; ACGIH - American Conference of Governmental Industrial Hygienists; TLV - Threshold Limit Value; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; TWA - Time-Weighted Average; STEL- Short Term Exposure Limit; N/A- Not applicable IARC - International Agency for Research on Cancer; NE - Not established NTP - National Toxicological Program; CFR - Code of Federal Regulations; OSHA - Z 29CFR 1910, Subpart Z; VOC - Volatile Organic Compounds; TCC - Tag Closed Cup; LEL - Lower Explosive Limit; Mg/m<sup>3</sup> or Mg/Cu M - milligram per cubic meter; mppcf - millions of particles per cubic foot; ppm - parts per million; NIOSH - National Institute of Occupational Safety and Health; MSHA - Mine Safety and Health Administration; CNS - Central Nervous System.

□